

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (original) A preparation of traditional Chinese medicinal materials for the treatment of ulcerative colitis, characterized in comprising the raw materials as 1-10 wt % of Sanguis Draxonis, 15-40 wt % of Radix Paeoniae Rubra, 1-20 wt % of Indigo Naturalis, 1-10 wt % of Halloysitum Rubrum, 15-40 wt % of Catechu, 1-10 wt % of Calcined Alumen, 5-30 wt % of Rhizoma Bletillae and 1-10 wt % of Calamina.

2. (original) The preparation of traditional Chinese medicinal materials for the treatment of ulcerative colitis according to claim 1, characterized in comprising the raw materials as 3-7 wt % of Sanguis Draxonis, 25-35 wt % of Radix Paeoniae Rubra, 5-15 wt % of Indigo Naturalis, 1-15 wt % of Halloysitum Rubrum, 25-35 wt % of Catechu, 1-5 wt % of Calcined Alumen, 10-20 wt % of Rhizoma Bletillae and 1-5 wt % of Calamina.

3. (original) The preparation of traditional Chinese medicinal materials for the treatment of ulcerative colitis according to claim 1, characterized in comprising the raw materials as 5.1 wt % of Sanguis Draxonis, 30 wt % of Radix Paeoniae Rubra, 10 wt % of Indigo Naturalis, 3 wt % of Halloysitum Rubrum, 30 wt % of Catechu, 3 wt % of Calcined Alumen, 15 wt % of Rhizoma Bletillae and 3 wt % of Calamina.

4. (currently amended) A ~~proeessed~~ method ~~of the~~ for preparing a preparation of traditional Chinese medicinal materials for the treatment of ulcerative colitis, characterized in comprising the steps of:

a) Providing the raw materials as follows: 1-10 wt % of Sanguis Draxonis, 15-40 wt % of Radix Paeoniae Rubra, 1-20 wt % of Indigo Naturalis, 1-10 wt % of Halloysitum Rubrum, 15-40 wt % of Catechu, 1-10 wt % of Calcined Alumen, 5-30 wt % of Rhizoma Bletillae and 1-10 wt % of Calamina;

b) Macerating three of the provided materials: Radix Paeoniae Rubra, Catechu and Calcined Alumen into water and decocting 2-4 times, the aqueous decoction is combined, filtered, stored in a fridge, concentrated and stored for available;

c) Mixing the provided materials Indigo Naturalis and Sanguis Draxonis homogeneously, stirring with PEG solution added for available;

d) Pulverizing the provided material Rhizoma Bletillae with potassium sorbate finely, admixing it with the above-mentioned aqueous decoction, the Indigo Naturalis and Sanguis Draxonis in PEG solution, and the provided materials Halloysitum Rubrum and Calamina, then grinding the resulting mixture homogenously and making it up with water to produce the preparation.

5. (currently amended) The ~~proeessed~~ method according to claim 4, wherein the time for maceration in step b) is from 30 min to 1 hour.

6. (currently amended) The ~~proeessed~~ method according to claim 4, wherein step b), the ratio of water: raw materials is from 10:1 to 14: 1.

7. (currently amended) The ~~proeessed~~ method according to claim 4, wherein the aqueous decoction in step b) is stored in the fridge for 44 to 52 hours.

8. (currently amended) The ~~proeessed~~ method according to claim 4, wherein 1 liter of the filtrated aqueous decoction is concentrated from 0.30-0.36 kg of the raw materials in step b).

9. (currently amended) The ~~proeessed~~ method according to claim 4, wherein the PEG solution in step c) is the solution of PEG 400 dissolved with tragacanth.

10. (currently amended) The ~~proeessed~~ method according to claim 4, wherein the particle size of Rhizoma Bletillae and potassium sorbate in step d) is 150 μ m.

11. (newly added) The ~~proeessed~~ method according to claim 4, wherein the preparation is in the form of enema.

12. (newly added) A method of making a medicament comprising providing the preparation of claim 1 in a pharmaceutically acceptable form.

13. (newly added) The method of claim 12, wherein said preparation is made by the method of claim 4.

Applicant : Bihui Wang et al
Serial No. :
Filed : September 8, 2004
Page : 4 of 5

Attorney's Docket No.: 18200-
002US1 / 103CN06301US/PY

14. (newly added) The preparation according to claim 1, characterized in being in the form of enema.

15. (newly added) The preparation according to claim 2, characterized in being in the form of enema.

16. (newly added) The preparation according to claim 3, characterized in being in the form of enema.